





FIG. 1



2/24

FIG. 2



3/24




FIG. 3




FIG. 4



6/24




FIG. 7




FIG. 6




FIG. 9

9/24




FIG. 10




FIG. 11

Chaput et al.
Appl. No.: Unknown Atty Docket: GRICH.001A

Appl. No.: Unknown Atty Docket: GRICH.001A

FIG. 12




FIG. 13

13/24




FIG. 14

Chaput et al.
Appl. No.: Unknown Atty Docket: GRICH.001A

This technical drawing, labeled FIG. 15, shows an exploded perspective view of a vehicle chassis assembly. The components are labeled with reference numerals: 10 (overall assembly), 26 (upper body), 28 (lower body), 34 (side panel), 30 (seat), 66 (seat cushion), 40a and 40b (seat backrest), 20 (main chassis frame), 18 (wheels), 88 (axles), 16 (axle tubes), 46 (brake components), 80 (brake calipers), 94 (brake discs), 56 (lower chassis frame), 23 (lower chassis frame), 24 (lower chassis frame), 64 (lower chassis frame), 22a (lower chassis frame), 22b (lower chassis frame), 54a (bolts), 55 (bolts), and 54b (bolts).

FIG. 15




FIG. 16A

16/24




FIG. 16B

17/24




FIG. 17

18/24




FIG. 18

19/24




FIG. 19

20/24

FIG. 21





FIG. 20



21 / 24




FIG. 22




FIG. 23

23/24




FIG. 24

24/24




FIG. 25